

# **Poorly Children Policy**

This policy is in line with the strategy of the school. Our purpose at Langley is to enable every young person to flourish and positively contribute with confidence. This is achieved by ensuring that the school is a community of opportunity and excellence. We celebrate achievement and encourage all pupils to take ownership, contribute, expect high standards and make good things happen for themselves and everyone around them. Policies give the framework and procedural guidance to allow this to happen.

This policy should be read in conjunction with the Safeguarding and whole school First Aid Policies. This policy applies to the Nursery to which the Nursery have the right to implement changes at times of high numbers of illness or diseases.

Langley Prep School recognizes that there is a need to treat all pupils, whatever their age, gender, disability, religion, ethnicity or sexual orientation with respect and dignity when intimate care is given. The child's welfare is of paramount importance and his/her experience of intimate and personal care should be a positive one. It is essential that every pupil is treated as an individual and that care is given gently and sensitively: no pupil should be attended to in a way that causes distress or pain.

# Poorly children

- o If a child appears unwell during the day, for example has a raised temperature (38 degrees and higher) sickness, diarrhoea, or pains, particularly in the head or stomach then the setting manager or Child's Keyperson calls the parents and asks them to collect the child or send a known carer to collect on their behalf.
- If a child has a raised temperature, they are kept cool by removing top clothing, Provide cool water, and kept away from draughts.
- A child's temperature is taken and checked regularly, using Fever Scans or other means i.e. ear thermometer.
- If a child's temperature does not go down, and is worryingly high, then Calpol may be given after gaining verbal consent from the parent where possible. This is to reduce the risk of febrile convulsions, particularly for babies under 2 years old. Parents sign the medication record when they collect their child.
- If a child is sent home from nursery with a fever, they must not return to the setting for at least 24 hours.



- In an emergency an ambulance is called, and the parents are informed. Parents are advised to seek
  medical advice before returning them to the setting; the setting can refuse admittance to children who
  have a raised temperature, sickness and diarrhoea or a contagious infection or disease.
- If a child has not been given a prescription medicine before, or if the child is under 36months, parents must keep them at home for 48 hours to ensure no adverse effect, and to give it time to take effect.
- After diarrhoea or vomiting, parents are asked to keep children home for 48 hours following the last episode.
- Some activities such as sand and water play, and self-serve snack will be suspended for the duration of any outbreak.
- The setting has information about excludable diseases and exclusion times.
- The setting manager notifies their line manager if there is an outbreak of an infection (affects more than 3-4 children) and keeps a record of the numbers and duration of each event.
- The setting manager has a list of notifiable diseases and contacts Public Health England (PHE) and Ofsted in the event of an outbreak.
- If staff suspect that a child who falls ill whilst in their care is suffering from a serious disease that may have been contracted abroad such as Ebola, immediate medical assessment is required. The setting manager or deputy calls NHS111 and informs parents.

## HIV/AIDS procedure

HIV virus, like other viruses such as Hepatitis, (A, B and C), are spread through body fluids. Hygiene precautions for dealing with body fluids are the same for all children and adults.

- Single use vinyl gloves and aprons are worn when changing children's nappies, pants and clothing that are soiled with blood, urine, faeces, or vomit.
- Protective rubber gloves are used for cleaning/sluicing clothing after changing.
- Soiled clothing is rinsed and bagged for parents to collect.
- Spills of blood, urine, faeces, or vomit are cleared using mild disinfectant solution and mops; cloths used are disposed of with clinical waste.



- Tables and other furniture or toys affected by blood, urine, faeces, or vomit are cleaned using a disinfectant.
- Baby mouthing toys are kept clean and plastic toys cleaned in sterilising solution regularly.

#### Nits and head lice

- Nits and head lice are not an excludable condition; although in exceptional cases parents may be asked to keep the child away from the setting until the infestation has cleared.
- On identifying cases of head lice, all parents are informed and asked to treat their child and all the family,
   using current recommended treatments methods if they are found.

## \*\*Paracetamol based medicines (e.g. Calpol)

The use of paracetamol-based medicine may not be agreed in all cases. A setting cannot take bottles of non-prescription medicine from parents to hold on a 'just in case' basis unless there is an immediate reason for doing so. Settings do not normally keep such medicine on the premises as they are not allowed to 'prescribe'. However, given the risks to very young babies of high temperatures, insurers may allow minor infringement of the regulations as the risk of not administering may be greater. Ofsted is normally in agreement with this. In all cases, parents of children are asked to sign to say they agree to the setting administering paracetamol-based medicine in the case of high temperature on the basis that they are on their way to collect. Such medicine should never be used to reduce temperature so that a child can stay in the care of the setting for a normal day. A child over two who is not well, and has a temperature, must be kept cool and the parents asked to collect straight away.

Whilst the brand name Calpol is referenced, there are other products which are paracetamol or Ibuprofen based pain and fever relief such as Nurofen for children over 3 months.

# Further guidance

Good Practice in Early Years Infection Control (Pre-school Learning Alliance 2009)

Medication Administration Record (Early Years Alliance 2019)

High temperature (fever) in children - NHS (www.nhs.uk)



Policy author: Allison Skipper

**Date:** 01/12/2021

Review date: Michaelmas 2025

Reviewed by: Meganne Smith and Kym Carey Michaelmas 2023